

Practical Farrowing Box Building Materials

| Item | Quantity | Length | Width | Use | Notes |
|---------------------------|----------|--------|--------|------------------|---|
| 5/8 th Plywood | 2 | 8 ft | 4 in | Front & Rear | Treated wood is best |
| 2x8 | 2 | 14 ft | | Pig Guard/Sides | Cut off 5 ft. for other hut uses |
| 2x6 | 2 | 14 ft | | Lower Sides | Treated wood 5 ft. will be used for Hoover |
| 4x4 | 2 | 16 ft | | Main Frame | Includes end frame |
| 2x4 | 2 | 10 ft | | Top of Sides | |
| 1x1 12 GA Tubing | 2 | 82 in | | Guard Rails | |
| ¼ Steel Plate | 2 | 8 in | 3 in | Guard Rails | |
| ¼ Angle Steel | 2 | 12 in | 1.5 in | Guard Rails | |
| 1.25 Steel Pipe | 2 | 6 in | | Guard Rails | |
| Smooth Core Tile | 1 | 24 in | | Door Guard | |
| Flashing Metal | 1 | 30 in | 8 in | Door Guard | |
| Carrying Hooks | 2 | 6 in | 0.5 in | Attach to chains | Weld a 1.25 lock washer to each head |
| Attachment Clips | 8 | 2 in | 1 in | Hold the Panel | Made from spare sheet metal |
| Cattle Panel Sections | 2 | 56 in | 50 in | Roof Frame | Bend to form roof structure |
| Canvas Cover | 1 | 10 ft | 6 ft | Roof Frame | |