

Strip-Till Since 2007




Frost Seeded Red Clover











Radishes 30" Rows; Winter Peas 30" Rows



Radishes=50,000 seeds/acre

Peas=20lbs/acre



Radishes
LIFTING the
soil!!



Radish/Pea Field Early Spring






Planted 5/20; Picture 5/30











Triticale mix fall seeded, spring strip-tilled, planted to corn, terminated same day as planting;

Interseeding



INTERSEEDING **INTERCROPPING**

80% success rate in S. Ontario

2 CAUTIONS

- 1.) Shade intolerance
- 2.) Herbicide residuals

Crop grows until canopy closes, then goes dormant.

Pic is from Sanderson Ag, DeKalb County, Clare, IL.

V6-V7 broadcast June 27
16 lbs. Bounty RG + 4 lbs. Crimson Clover
11" - 12" June rainfall Pic taken Aug. 15

Contact Trent Sanderson 815-751-2304 or sandersontr@outlook.com with Sanderson Ag, Clare, IL.

Same Field Just Before Harvest






July 1st









Radish Seeded July 15th in wet holes; Picture October 25th









10lb./A Radish; Headland
Compaction Trial



Failed Wheat, Strip-till & Plant to
Corn



Strip-till into Wheat Green,
Terminated Next Day



Planted Corn 4 Days Later



June 18



Interseeded
— July 1st; 17
Bu. over corn
raised across
the road; net
\$26/Acre
more AFTER
all production
costs/revenue
considered



www.sandersonag.com
(follow us on Facebook!)

- These practices are what work for our farm
- Understand YOUR environment/challenges
- TRY different species/practices/rotations on small scales
- Apply your successes PRACTICALLY
- GOOD LUCK!!
